


TAPPI CONICI

Colore: Rosso
Materiale: Polietilene (LDPE)




Codice	Dimensioni in mm.						Inserito in un filetto maschio	Inserito in una filet. femmina	Confez. Standard
	d1	d2	d3	d4	h	D			
TAC2.9	2.9	4.6	3	1.3	9.5	7.9	-	-	10'000
TAC4.4	4.4	6.1	4.5	2.8	9.5	9.5	M4	M6-1/4"UNF	10'000
TAC4.7	4.7	8.5	5.7	2.5	22.5	11.7	-	-	10'000
TAC5.6	5.6	7	5.4	4	8.4	10.5	-	-	10'000
TAC6.2	6.2	7.6	5.9	5	9.5	11.1	M5-M6	M8-5/16"UNF	10'000
TAC7.7	7.7	9.3	7	5.5	8	12.7	1/4"UNF	-	10'000
TAC7.7B	7.7	9.3	7.7	6.3	9.5	12.7	-	3/8"UNF	10'000
TAC8.4	8.4	10	8.2	6.9	9.5	13.5	M8-5/6"UNF	M10-1/8"GAS	10'000
TAC8.6	8.6	10.3	8.2	7	9.8	13.7	-	-	10'000
TAC9	9	10.7	8.8	7.5	11.5	13.9	-	-	10'000
TAC9.4	9.4	10.8	9.3	7.7	8.5	14	-	-	10'000
TAC9.9	9.9	11.7	10.1	8.3	10	15	M10X1-1/8"G	M12x1.5	13'000
TAC10	10	11.8	10	8.5	9.5	15	M10-3/8"UNF	M12	10'000
TAC10.6	10.6	12.2	10	8.6	9.8	15.6	-	-	10'000
TAC10.9	10.9	12.3	10.7	9.1	9.3	15.9	1/8"GAS	1/4"G-1/2"U	10'000
TAC11.2	11.2	14	12.1	9.2	18.5	17.5	-	-	10'000
TAC11.3	11.3	12.9	10.9	9.4	8.5	16.3	-	-	10'000
TAC11.3B	11.3	13.2	11.6	9.8	11	17	-	-	10'000
TAC11.5	11.5	13	11.5	10	9.5	16.7	-	M14	10'000
TAC12	12	14.8	12	10.5	11	17.5	-	-	5'000
TAC12.1	12.1	13.9	12.3	10.6	11	17.5	M12	9/16"UNF	5'000
TAC12.5	12.5	14	12	10.5	8.9	17.5	7/16"UNF	-	5'000
TAC12.5B	12.5	14.6	13.3	11.2	12	18	-	-	5'000
TAC12.8	12.8	15.1	13.2	10.7	23.1	18.5	-	-	4'000
TAC13.6	13.6	15.3	13.7	12.1	11.2	19	1/4"G-1/2"U	M16-5/8"UNF	5'000
TAC14.2	14.2	16	14.4	12.7	12.1	19	M14-9/16"U	3/8"GAS	5'000
TAC14.7	14.7	17	15.4	13.2	12.7	20.6	-	M18	5'000
TAC14.9	14.9	16.4	14.5	13.5	11.5	21	-	-	5'000
TAC15.5	15.5	17.1	15	13.4	8.5	20.6	-	-	5'000
TAC16.1	16.1	17.6	15.5	14.5	8.5	21	-	-	5'000
TAC16.4	16.4	18.3	16.9	14.3	12.3	22.2	M16-5/8"UNF	M20-3/4"UNF	5'000
TAC16.6	16.6	18.5	16.5	14.5	13	21.9	-	-	5'000

PROTEZIONI PER FORI E PER FLANGE

TAPPI CONICI



Colore: Rosso
Materiale: Polietilene (LDPE)



Codice	Dimensioni in mm.						Inserito in un filetto maschio	Inserito in una filet. femmina	Confez. Standard
	d1	d2	d3	d4	h	D			
TAC17.1	17.1	19.4	17.8	15.5	13	22	3/8"GAS	M20x1.5	5'500
TAC17.2	17.2	20.2	18	15.5	18	24.2	-	-	4'000
TAC17.5	17.5	20.1	18.5	15.9	15	24	M18x1.5	1/2"GAS	5'000
TAC17.7	17.7	19.6	17.3	15.2	12.7	22.2	3/8"GAS	M20	5'000
TAC17.8	17.8	20	18.3	16.4	13.4	23.8	M18	1/2"GAS	5'000
TAC18.3	18.3	21.4	19.3	16.4	17.5	25.4	-	-	4'000
TAC18.5	18.5	20.9	19.3	17.1	14.3	24.6	3/4"UNF	M22	5'000
TAC19	19	21.5	19.7	17.6	14.3	25.8	-	M22-7/8"U	4'000
TAC19.4	19.4	22.5	21.3	18	19	26.5	-	-	3'000
TAC20.5	20.5	23.2	21.2	18.5	17.5	27.2	-	-	3'000
TAC20.7	20.7	23.5	21.9	19.1	16	28	7/8"UNF	-	3'500
TAC21.2	21.2	23.2	21.7	19.3	12.3	27.3	-	M24	4'000
TAC21.3	21.3	23.2	21.5	19.2	15.9	27	M20-1/2"G	5/8"GAS	3'000
TAC22	22	24.8	23.2	20.4	17	29	M22x2	-	3'000
TAC22B	22	25	23	20.5	15.9	28.5	M22	1"UNF	3'000
TAC22.5	22.5	25.5	23.3	20	17.8	28.9	7/8"UNF	-	3'000
TAC22.7	22.7	24.9	22.7	20.8	12	27	-	-	3'000
TAC23.4	23.4	26.4	24.4	21.4	17.5	29.3	M24-5/8"G	3/4"G-M26	2'500
TAC24	24	26.9	25	21.8	17.5	31.3	-	-	2'000
TAC24.6	24.6	29.5	27.5	22.5	27.5	34	-	-	1'500
TAC24.7	24.7	27.7	26.1	23.2	19	32	M27	1.1/8" UNF	2'000
TAC25.2	25.2	29.2	27.7	23.7	19	33	-	-	2'000
TAC26.6	26.6	29.7	28.3	24.6	26.3	31.6	3/4"GAS	7/8"GAS	1'500
TAC27.8	27.8	31.1	29.5	26.2	19	35	M28x1.5	M25x1.5	1'800
TAC28	28	30.9	29	26.5	19	35.3	M27-M28	M30	2'000
TAC29.2	29.2	31.2	30.3	28	12.7	34.7	M22x2	-	2'000
TAC29.8	29.8	31.6	31.1	28.3	16	37	M30x2	1.5/16"UNF	1'700
TAC30	30	32.6	30.7	27.5	15.2	36.7	M30	M33-1"GAS	2'000
TAC30.5	30.5	33.3	31.1	28.4	14.5	37	7/8"GAS	-	2'000
TAC31.1	31.1	34.3	32	29.3	17.5	38.1	-	1.3/8"UNF	1'500
TAC31.1B	31.1	34.4	32.8	29.8	19	38.1	1.1/4"UNF	M35	1'500
TAC31.6	31.6	36.3	34	29.8	24.1	40.2	1.5/16"UNF	-	1'000

TAPPI CONICI

Colore: Rosso
Materiale: Polietilene (LDPE)




Codice	Dimensioni in mm.						Inserito in un filetto maschio	Inserito in una filet. femmina	Confez. Standard
	d1	d2	d3	d4	h	D			
TAC33.3	33.3	34.4	32.8	31.4	9.5	38.1	-	-	2'500
TAC33.3B	33.3	37.2	35.6	31.7	22.2	41.6	1.1/8"GAS	1.1/2"UNF	1'000
TAC33.9	33.9	38.3	36.5	31.9	24.5	42.3	-	-	1'000
TAC33.9B	33.9	37.3	35.8	32	12.3	42.2	1.3/8"UNF	1.5/8"UNF	2'000
TAC34.9	34.9	36.4	35.2	33.1	8.2	42.7	-	-	2'500
TAC35.9	35.9	40.2	37.5	33.2	24.5	44.1	-	-	1'000
TAC36.3	36.3	38.3	37	34.6	12	42.3	-	-	1'500
TAC36.9	36.9	40.6	39	35	22.5	44	1.1/8"GAS	1.1/4"GAS	1'000
TAC38.6	38.6	40.6	39	37.1	12.7	44.5	1.1/2"UNF	-	1'500
TAC39.6	39.6	42.7	41.1	38.2	18.5	47.6	1.3/8"GAS	M42-M45	1'000
TAC40.8	40.8	44.7	41.8	37.7	24	49	-	-	500
TAC41.4	41.4	44.8	43	39.7	19	49.2	1.1/4"GAS	M45	1'000
TAC42.5	42.5	44.8	43	40.7	12.6	50.7	-	-	1'000
TAC43.4	43.4	48.5	47	42	24.5	53.3	-	-	600
TAC44.1	44.1	46.7	45.7	42.8	18.4	49.8	-	-	800
TAC44.4	44.4	47.7	46.1	42.8	19	51	M45x1.5/2/3	1.1/2"GAS	1'000
TAC45.2	45.2	49	47	43.7	24.5	53.4	1.3/8"GAS	1.1/2"GAS	600
TAC45.9	45.9	46.3	45	44.3	9.5	50.8	-	-	1'500
TAC46	46	50	48	44.3	24.8	54	-	-	500
TAC46.4	46.4	51	49.6	45.2	25	55	1.1/2"GAS	-	1'500
TAC47.2	47.2	51.9	48.7	44.5	24	55.8	-	-	500
TAC47.5	47.5	50.3	49	45.2	25	54	-	-	500
TAC48	48	52.7	50.7	46.3	25.4	57.1	-	-	500
TAC48.6	48.6	51.2	48.9	46.7	18.7	55.5	1.1/2"GAS	M52	500
TAC48.9	48.9	53	52	47.2	24.3	58	-	-	500
TAC51.1	51.1	54.4	52	47.7	25	57	-	-	500
TAC51.5	51.5	54.1	52	49.6	18.5	58.3	-	-	500
TAC53.5	53.5	57	55.3	51.2	25.1	62.4	1.3/4"GAS	M56-M55	400
TAC54	54	58.4	55	50.8	24.5	62.4	-	-	400
TAC54.2	54.2	58.6	57	52.6	26	65	-	-	900
TAC55	55	61	59	52.2	25	65	-	-	400
TAC55.4	55.4	58.8	57.2	53.7	25.1	65	M58	M60-M58	400

PROTEZIONI PER FORI E PER FLANGE

TAPPI CONICI

Colore: Rosso


Materiale: Polietilene (LDPE)



Codice	Dimensioni in mm.						Inserito in un filetto maschio	Inserito in una filet. femmina	Confez. Standard
	d1	d2	d3	d4	h	D			
TAC57.5	57.5	57.6	56.1	55.2	12.8	63.8	-	-	700
TAC58.4	58.4	62.8	61.1	56.7	25	67	M60-2"GAS	M60x1.5	900
TAC59.3	59.3	67.3	64.1	56.7	31.7	70.3	-	-	300
TAC59.6	59.6	62.6	61	57	24.6	66.7	M60-2"GAS	M62-M60	300
TAC62	62	66.4	64.3	59	28	71	-	-	300
TAC63.3	63.3	69.8	67.8	61.5	25.4	73	-	-	400
TAC64.5	64.5	67.3	62.1	65.6	15.8	70.6	-	-	400
TAC67.1	67.1	70.4	68.7	65.4	19	75	-	2.1/2"GAS	1'000
TAC68.1	68.1	70.9	69.3	66.3	19	74.6	-	-	400
TAC70	70	75.8	74	68.1	25.4	79.4	-	M76-2.1/2"G	300
TAC72.4	72.4	75.7	74.1	70.8	19	83	-	-	800
TAC74	74	77	73.9	71.5	18.7	82.5	-	-	300
TAC74B	74	76.8	73.4	70	24.4	80	-	-	600
TAC76.8	76.8	82.2	80.8	74.8	25.4	85.7	-	-	500
TAC77.1	77.1	80.7	78.2	74.8	19	85.7	2.1/2"GAS	-	300
TAC80	80	86.1	82	77.5	25.1	89.8	-	3"GAS	500
TAC84.2	84.2	90.8	88.3	80.2	28	94.5	3"GAS	-	500
TAC84.5	84.5	87.8	85.7	82.4	19	92	-	-	500
TAC85.3	85.3	88	85.5	82.9	19	92	-	-	250
TAC87.5	87.5	93.6	90.5	84.3	34.3	96.7	-	-	250
TAC88.1	88.1	93.3	89.9	85.1	28.6	96.5	-	-	300
TAC92.1	92.1	97	94	88.3	32	100	-	-	300
TAC93.5	93.5	100.3	97.8	89.9	26.5	107.5	-	-	400
TAC94.5	94.5	100.6	97	91	34.5	103.6	-	-	200
TAC97	97	101.5	99.5	95	30	109	-	-	200
TAC98	98	102	98.5	94.8	24.7	107.2	-	-	400
TAC98.2	98.2	103.3	99	95	28.8	106	-	-	300
TAC101.9	101.9	107.5	103	98	28.6	109	-	-	300
TAC106.7	106.7	111.7	107.4	101.5	28.6	113.3	-	-	250
TAC108	108	114.1	111.6	105.4	35.2	118.5	-	-	250
TAC109	109	113	111	107	27	123	-	-	175
TAC110	110	115	109	105.5	28	118.5	-	-	250

TAPPI CONICI

Colore: Rosso
Materiale: Polietilene (LDPE)



Codice	Dimensioni in mm.						Inserito in un filetto maschio	Inserito in una filet. femmina	Confez. Standard
	d1	d2	d3	d4	h	D			
TAC111.5	111.5	117.6	115	107.5	35	122	-	-	250
TAC112.1	112.1	114.3	109.8	107.5	28.6	116.8	-	-	250
TAC124	124	128	125	121	23	134	-	-	150
TAC129	129	135.1	132	124	36.5	139.5	-	-	150
TAC139.5	139.5	145.6	140	135	36.5	150	-	-	150
TAC141	141	150	148	138	25.4	164	-	-	140
TAC146.8	146.8	152.6	148.6	142.8	33	159.5	-	-	100
TAC153.7	153.7	161.5	160	152	29.6	178.9	-	-	135
TAC157	157	163	160	152	36.5	167.5	-	-	100
TAC202.9	202.9	203.8	198.8	198	32.7	218.7	-	-	100
TAC216	216	223.6	223	213	29.1	241.5	-	-	100
TAC252.2	252.2	257.8	247.8	247.2	33.8	272.5	-	-	50
TAC304.2	304.2	308.4	299.4	299.2	33.9	322.6	-	-	30